

GLOW Combined Certificate of Analysis

BPC-157 • TB-500 • GHK-Cu

Measurement	BPC-157	TB-500	GHK-Cu
Purity	99.90%	99.66%	99.95%
Identity	Confirmed	Confirmed	Confirmed
Fentanyl	Not Detected	Not Detected	Not Detected
Heavy Metals	Not Detected	Not Detected	Not Detected
Sterility	No Growth	No Growth	No Growth
Endotoxin	0.121 EU/mL	0.14 EU/mL	0.14 EU/mL

BPC-157 HPLC Chromatogram



Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 - API

Tested for: NuAmino

PASS

COA #: COA-2026-7YLGX3
Lot Number: 060326
Accession #: ACC-2026-7612
Labeled Content: API

Analysis Date: 07/02/2026
Appearance: Good
Sample Matrix: Powder
Vial Size: TBD
Date Received: 2026-07-02



Method: Full QC Panel

Identity

BPC-157

Peptide Purity


99.90%



Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	$\geq 95.0\%$	99.90%	%	PASS
Identity (HPLC-RTM)	BPC-157	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



BPC-157 API - 060326: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/2/2026

COA #: COA-2026-7YLGX3
Access Code: 6FYKZUWM
Verify: portal.ils-lab.com/verify/DGbR66M7meTAdAED
Issued: 7/2/2026

Page 1 of 2

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

TB-500 HPLC Chromatogram



ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Certificate of Analysis

TB-500 - API

Tested for: NuAmino

PASS

COA #: COA-2026-I4V4EJ
Lot Number: 060326
Accession #: ACC-2026-7613
Labeled Content: API

Analysis Date: 07/02/2026
Appearance: Good
Sample Matrix: Powder
Vial Size: TBD
Date Received: 2026-07-02




Method: Full QC Panel

Identity	Peptide Purity	Fentanyl Free
TB-500	99.66%	

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.66%	%	PASS
Identity (HPLC-RTM)	TB-500	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



TB-500 API - 060326: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/2/2026

COA #: COA-2026-I4V4EJ
Access Code: JNKB7R78
Verify: portal.ils-lab.com/verify/qOiuYNdwp38-dT--
Issued: 7/2/2026

GHK-Cu HPLC Chromatogram



Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GHK-Cu - API

Tested for: NuAmino

PASS

COA #: COA-2026-E_5013
Lot Number: 060326
Accession #: ACC-2026-7614
Labeled Content: API

Analysis Date: 07/02/2026
Appearance: Good
Sample Matrix: Powder
Vial Size: TBD
Date Received: 2026-07-02



Method: Full QC Panel

Identity

GHK-Cu

Peptide Purity

99.95%




Fentanyl
Free

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	$\geq 95.0\%$	99.95%	%	PASS
Identity (HPLC-RTM)	GHK-Cu	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



GHK-Cu API - 060326: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/2/2026

COA #: COA-2026-E_5013
Access Code: 8Q8PLNFM
Verify: portal.ils-lab.com/verify/xq9GrrgY_YoZN90
Issued: 7/2/2026